



1 **EC TYPE-EXAMINATION CERTIFICATE**

2 Equipment intended for use in Potentially Explosive Atmospheres Directive 94/9/EC

3 Certificate Number: Sira 00ATEX1161

4 Equipment: 794 Series UV/IR Flame & Gas Detectors

5 Applicant: Spectrex Inc.

6 Address: Peckman Industrial Park
218 Little Falls Road
Cedar Grove
N.J. 07009
USA

7 This equipment and any acceptable variation thereto is specified in the schedule to this certificate and the documents therein referred to.

8 Sira Certification Service, notified body number 0518 in accordance with Article 9 of Directive 94/9/EC of 23 March 1994, certifies that this equipment has been found to comply with the Essential Health and Safety Requirements relating to the design and construction of equipment intended for use in potentially explosive atmospheres given in Annex II to the Directive.

The examination and test results are recorded in confidential report number R51A6985A.


9 Compliance with the Essential Health and Safety Requirements, with the exception of those listed in the schedule to this certificate, has been assured by compliance with the following documents:

EN 50014:1997 Amendments A1 & A2
EN 50018:1994

10 If the sign 'X' is placed after the certificate number, it indicates that the equipment or protective system is subject to special conditions for safe use specified in the schedule to this certificate.

11 This EC type-examination certificate relates only to the design and construction of the specified equipment. If applicable, further requirements of this Directive apply to the manufacture and supply of this equipment.

12 The marking of the equipment shall include the following:

 II 2 G
EEx d IIB+H₂ T6 Amb. Temp. = -40°C to +55°C
EEx d IIB+H₂ T5 Amb. Temp. = -40°C to +70°C

Project Number 51A6985A
Date 06 February 2002
C. Index 18



R Cooper IEng LInstMC
Deputy Chief Executive

This certificate and its schedules may only be reproduced in its entirety and without change

Sira Certification Service

Rake Lane, Eccleston, Chester, CH4 9JN, England
Tel: +44 (0) 1244 670900 Fax: +44 (0) 1244 681330
Email: exhazard@siratc.co.uk



SCHEDULE

EC TYPE-EXAMINATION CERTIFICATE

Sira 00ATEX1161

13 DESCRIPTION OF EQUIPMENT

The 794 Series UV, UV-IR Flame Detectors comprise a two part aluminium alloy enclosure. This consists of a main housing assembly and a cover assembly secured by four M6 x 1.0 stainless steel cap head bolts. The main housing assembly incorporates a quartz window, protected by a permanently fixed guard and an optional window cover assembly, and contains the differing detection circuitry that distinguishes the variants within the series. The cover assembly contains a PCB effecting connection to the detection circuitry and terminals for connection to the supply wiring. Cable entry is made through two cable entry points of up to a maximum size 3/4" x 14 NPT threadform situated on one face of the cover assembly.

Design options:

Stainless steel as an alternative enclosure material of manufacture;

Metric, up to a maximum size M25 as an alternative cable entry threadform.

PG, up to a maximum size PG16 as an alternative cable entry threadform

14 DESCRIPTIVE DOCUMENTS

14.1 Drawings specified under certificate Sira 00ATEX1227.

14.2 Report No. 51A6985A.

15 SPECIAL CONDITIONS FOR SAFE USE (denoted by X after the certificate number)

None.

16 ESSENTIAL HEALTH AND SAFETY REQUIREMENTS OF ANNEX II (EHSR'S)

The relevant EHSRs that are not addressed by the standards listed in this certificate have been identified and individually assessed in Report No. 51A6985A.

17 CONDITIONS OF CERTIFICATION

17.1 The use of this certificate is subject to the Regulations Applicable to Holders of SCS Certificates.

Date 06 February 2002

This certificate and its schedules may only be reproduced in its entirety and without change



EC TYPE-EXAMINATION CERTIFICATE VARIATION

CERTIFICATE NUMBER Sira 00ATEX1161

Dated 6 February 2002
Latest Issue 26 September 2002

VARIATION NUMBER 1 (ONE)

Dated 1 September 2006

VARIATION TO EQUIPMENT

To permit:

1. The model numbers that are covered by this certificate to be clarified, as listed below:

794 Series UV-IR Flame and Gas Detector.
Gas Detector models 200,300 and 400 series.
Flame Detector 20/20F-C and 20/20F-C-ST

DESCRIPTIVE DOCUMENTS

There are no changes to existing documentation.

ADDITIONAL CONDITIONS OF CERTIFICATION

None

File No. 51A13638

Report No. R51A13638B

C Ellaby
Certification Officer

This Variation and its schedules may only be reproduced in its entirety and without change.